

**Estrogens such as Premarin and progestins such as Provera are female hormones that may be prescribed around the time of menopause, after menopause, or after a hysterectomy. Has your doctor discussed the benefits and risks of estrogen with you?\***

**Kentucky BRFSS 2000**

Geographic Groups	Total Respond.#	Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
TOTAL	2190	1260	60.7	(57.9-63.5)	930	39.3	(36.5-42.1)
ADDs							
Barren River	165	90	55.9	(47.6-63.9)	75	44.1	(36.1-52.4)
Big Sandy	114	63	55.6	(45.5-65.3)	51	44.4	(34.7-54.5)
Bluegrass	161	97	60.8	(52.3-68.7)	64	39.2	(31.3-47.7)
Buffalo Trace	107	51	46.0	(35.9-56.5)	56	54.0	(43.5-64.1)
Cumberland Valley	138	70	56.5	(47.4-65.2)	68	43.5	(34.8-52.6)
FIVCO	173	99	56.4	(48.3-64.1)	74	43.6	(35.9-51.7)
Gateway	152	91	63.4	(54.9-71.2)	61	36.6	(28.8-45.1)
Green River	129	75	57.1	(47.5-66.2)	54	42.9	(33.8-52.5)
Kentucky River	150	85	56.8	(48.0-65.2)	65	43.2	(34.8-52.0)
KIPDA	155	101	66.5	(57.5-74.5)	54	33.5	(25.5-42.5)
Lake Cumberland	156	79	51.9	(43.1-60.5)	77	48.1	(39.5-56.9)
Lincoln Trail	142	91	67.7	(59.2-75.2)	51	32.3	(24.8-40.8)
Northern Kentucky	132	76	59.5	(50.1-68.2)	56	40.5	(31.8-49.9)
Pennyrile	145	88	62.7	(53.8-70.7)	57	37.3	(29.3-46.2)
Purchase	171	104	64.3	(56.1-71.8)	67	35.7	(28.2-43.9)

\*This question was asked only to those females age 35 and older who either have had a hysterectomy, are menopausal or are post menopausal.

#Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic, % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.